



COLLARD & ROE, P.C.  
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS

1077 Northern Boulevard  
Roslyn, New York 11576  
(516) 365-9802  
FAX (516) 365-9805

RECEIVED  
CENTRAL FAX CENTER

AUG 21 2007

FACSIMILE TRANSMISSION

DATE: August 21, 2007

NO. OF PAGES INCLUDING COVER PAGE: 22

TO: Examiner: B. C. PAINTER

FAX NO.: 571-273-8300

FROM: Frederick J. Dorchak  
Reg. No. 29,298


RE: U.S. Serial No. 10/797,909  
Applicant: Heinrich SÄLZER  
(Our Reference: SÄLZER - 1)

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed please find an Amendment in Response to Office Action.

Sincerely,  
Collard & Roe, P.C.

  
Frederick J. Dorchak  
Reg. No. 29,298

Encl.  
djp

*This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.*

RECEIVED  
CENTRAL FAX CENTER

PATENTS

AUG 21 2007

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Heinrich SÄLZER - 1  
SERIAL NO.: 10/797,909 EXAMINER: B. C. PAINTER  
FILED: MARCH 10, 2004 GROUP: 3609  
TITLE: PLATE-LIKE COVER ELEMENT FOR THE OPENING OF A  
BUILDING

AMENDMENT IN RESPONSE TO OFFICE ACTION

MAIL STOP AMENDMENT  
Honorable Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In response to the first Office Action dated June 7, 2007,  
please amend the above-identified patent application as follows:

Amendments to the Specification begin on page 2 of this  
paper.

Amendments to the Claims are reflected in the listing of  
claims which begins on page 9 of this paper.

Remarks/Arguments begin on page 12 of this paper.